

NOT OF STANDARD QUALITY ALERT FOR THE MONTH OF MAY – 2024.

A. CDSCO/Central Laboratories							
S.No	Name of Drugs/medical device/cosmetics	Batch No.	Date of Manufactur e	Date of Expiry	Manufactured By	NSQ Result	Reported by CDSCO Laboratory
1.	Terbutaline Sulfate,Bromhexine Hydrochloride with Guaiphenesin Syrup	VS16010	01-01-2024	01-12-2026	Priya Life Science,174-A, 175,Siddhi Industrial Infrastructure Park, Opp. Waghodia GIDC, Waghodia	The sample does not conform to Manufacturer's Specification with respect to the Assay of Bromhexine Hydrochloride and Terbutaline Sulphate.	Central Drugs Laboratory, Kolkata
2.	METOPROLOL SUCCINATE EXTENDED RELEASE TABLETS IP	GT3J026	01-10-2023	30-09-2025	Scott-Edil PharmaciaLtd.,56, EPIP., Phase-I, Jharmajri,Baddi, Distt.Solan-173 205, (H.P.),INDIA	The sample does not conforms to claim as per I.P.2022inrespectto the Test of Dissolution (1Hr),Dissolution(4 Hours)	Central Drugs Laboratory, Kolkata
3.	Cuftin COUGH LINCTUS	ECT-2421	01-09-2023	31-08-2025	ELFOS LABORATORIES,at :F-54,M.I.Area, JAIPUR-17	The sample does not conforms to claim as per Patent and Proprietary in respect to the Assay of Sodium Citrate	RDTL , Chandigarh
4.	CefuroximeAxetil Tablets IP	DB230304	01-12-2023	30-11-2025	Daxin Pharmaceuticals Pvt.Ltd.,PlotNo 121-122 EPIP, Jharmajri Phase 1, Teh. Baddi, Distt. Solan (H.P.) - 174103	The sample does not conforms to claim as per IP 2022in respect to the Test of Dissolution of Cefuroxime Axetil equivalent to Cefuroxime	Central Drugs Laboratory, Kolkata
5.	LevosambutamolSulphate,AmbroxolHCL,Guaiphenesin Syrup	5346	07-03-2024	04-02-2026	Esquire Drug House,138, GIDC, Estate,Wadhwan City, District	The sample does not conform to claim as per Schedule V of Drugs & Cosmetics Act with respect	Central Drugs Laboratory, Kolkata

					Surendranagar 363035 (Gujarat)	to Assay of Levosambutamol Sulphate Equivalent to Levosambutamol. NB:The sample does not give positive test for Diethylene glycol and is found to contain 0.0071 % w/v Ethylene glycol; (Limit NMT 0.1% w/v, Method: GC, Ref: USP under the monograph of Propylene glycol.)	
6.	Acetylsalicylic Acid Tablets 75 mg	JTN23- 211	05-07-2023	03-06-2026	AK Krishna Pharma Pvt.Ltd.,Plot No. 68, 69 &82,83 Sector-6A, Sidcul, IIE, Dist. Haridwar, Uttarakhand, India.	Sample does not conforms to IP with respect to test for Dissolution.	Central Drugs Laboratory, Kolkata
7.	LactuloseSolution U.S.P.	GA2312 7	02-11-2023	07-10-2025	Skymap Pharmaceuticals Pvt. Ltd.,B-3, Dev Bhoomi Industrial Estate, Puhanalqbalpur Road, Roorkee-247667	The sample does not conforms to claim as per U.S.P.in respect to the Assay.	Central Drugs Laboratory, Kolkata
8.	Terbutaline Sulphate, Bromhexine Hydrochloride, Guaiphenesinand Menthol Syrup	23D-20	01-04-2023	31-03-2025	RADICALS PHARMAPVT. LTD.,194, Mile Stone, Ambala- Delhi Highway, Shahpur,Ambala Cantt- 133 004 (Hry.)	The sample does not conforms to claim as per Patent and Proprietary (RDTL/MS/3286)in respect to the Assay of Terbutaline Sulphate, Bromhexine Hydrochloride	RDTL, Chandigarh
9.	Prednisolone TabletsIP10mg	PRDT- 1007	01-11-2022	31-10-2024	WINGSBIOTECH LLP,43 & 44,	The sample does not conforms to claim as per IP 2018 and Addendum 2021	RDTL, Chandigarh

					HPSIDC, Industrial Area, Baddi - 173205 (H.P.)	in respect to the Assay of Prednisolone	
10.	Mecobalamin, AlphaLipoicAcid, Pyridoxine Hydrochlorideand Folic Acid Soft Gelatin Capsules	DBIS-8591	02-11-2023	08-10-2025	Broad Injectables, PlotNo. 51-52, Ind. Area Tahliwal Distt. Una 174301 (H.P.)	The sample does not conforms to claim as per Schedule V of Drugs and Cosmetics Act with respect to the Assay/content of Mecobalamin and PyridoxineHydrochloride	Central Drugs Laboratory, Kolkata
11.	TELMISARTAN ANDAMLODIPINE TABLETS IP	TE3016A	01-05-2023	30-04-2025	M/s. Navkar Lifesciences, Plot No. 76, LodhiMajra, Industrial Area, Baddi, Distt. Solan (H.P.)	The sample received DOES NOT CONFORM to I.P.2022 Specification with respect to the test parameters Dissolution and Assay of Amlodipine Besylate equivalent to Amlodipine content only. CDTLH REPORT NO.: CDTLH/1510/F-1068/2023-24	CDTL, Hyderabad
12.	Cefoperazone & Sulbactam for Injection	B-22680D	01-01-2023	02-12-2024	Pace Biotech, Surajpur, Paonta Sahib, Dist- Sirmour (H.P)- 173001	The sample does not conforms to claim as per The Schedule V of The Drugs and Cosmetics Act, 1940 with respect to the Test for 'Clarity of solution' and 'Particulate matter'	Central Drugs Laboratory, Kolkata
13.	Cefotaxime Injection IP 500mg	CTI2308 1	08-08-2023	07-01-2025	M/s. Vivek Pharmachem (India) Ltd., NH-8, Chimanpura, Amer, Jaipur-303 102 INDIA	The sample does not conforms to I.P. with respect to the Test for 'Related Substances', 'Particulate matter' and 'Clarity of solution'	Central Drugs Laboratory, Kolkata

14.	Dexamethasone Sodium Phosphate Injection I.P	DSA123 13	06-07-2023	04-06-2025	M/s Nandani Medical Laboratories Pvt. Ltd., 221/5, Bicholi Hapsi, Kanadia Road, Indore	The sample does not conform to IP with respect to Assay/ content of Dexamethasone Phosphate	Central Drugs Laboratory, Kolkata
15.	Amoxicillin & Potassium Clavulanate Injection IP 1.2gm	23AP04	03-05-2023	02-04-2025	SAI Parenterals Limited, D1&D4, Survey No. 280, Phase-V, IDA, Jeedimetla, Hyderabad, 500055, TS	The sample does not conform to claim as per I.P. 2022 in respect to the Test of Clarity of solution and Assay of Potassium Clavulanate calculated as Clavulanic Acid	Central Drugs Laboratory, Kolkata
16.	TELMISARTAN AND METOPROLOL SUCCINATE (EXTENDED RELEASE) TABLETS	BD23178 0H	01-12-2023	30-11-2025	BIOALTUS PHARMACEUTICALS PRIVATE LIMITED, (A WHO GMP CERTIFIED COMPANY) At: 19-20, DIC, Ind. Area, Baddi, Distt. Solan, (H.P.) 173205	NOTE: THE SAMPLE RECEIVED DOES NOT CONFORM TO MANUFACTURERS SPECIFICATION WITH RESPECT TO THE TEST FOR DISSOLUTION FOR THE CONTENT OF METOPROLOL SUCCINATE EQUIVALENT TO METOPROLOL TARTRATE (EXTENDED RELEASE) AT THE FINAL TEST TIME (20th HOUR) OF L1+L2+L3 LEVEL ONLY. CDTLHREPORTNO.: CDTLH/1527/F-	CDTL, Hyderabad
17.	Pantoprazole Tablets I.P..	PAA-507	01-06-2023	31-05-2025	Healers Lab, Unit II, Plot No. 33, H.P.S.I.D.C.,	The sample Does not complies conforms to Manufacturer Specification	RDTL, Guwahati

					Extn., Baddi, Distt.Solan (H.P.)	with respect to the above tests only.	
18.	Pantoprazole Tablets I.P..	PAA-507	01-06-2023	31-05-2025	Healers Lab, Unit II,Plot No. 33, H.P.S.I.D.C., Extn., Baddi,Distt.Solan (H.P.)	The sample Does not complies conforms to Manufacturer Specification with respect to the above tests only.	RDTL, Guwahati
19.	Ambroxol HCl, Levosalbutamoland Guaiphenesin Syrup	VDL-1240	01-07-2022	30-06-2024	VVPB Pharmaceuticals Pvt. Ltd.,Kh. No. 114, Vill. Damowala, P.O. Barotiwala, Baddi, Distt. Solan (H.P.)	The sample does not conforms to claim as per Patent and Proprietary in respect to the Test of Diethylene Glycol (DEG) and Assay of Ambroxol Hydrochloride	RDTL, Chandigarh
20.	Dexamethasone Sodium Phosphate Injection I.P. (8mg/2ml)	323-885	03-08-2023	09-07-2025	ZEE LABORATORIES LTD.,Behind47, Industrial Area, Paonta Sahib-173025	The sample does not conforms to IP with respect to test for "Free Dexamethasone", "Particulate matter,", "Extractable volume", "Assay of Dexamethasone Sodium Phosphate calculated as Dexamethasone Phosphate" and is also not of standard quality for the reason stated under "Description".	Central Drugs Laboratory, Kolkata
21.	Dexamethasone Sodiumphosphate Injection IP	DX-2305	05-05-2023	04-04-2025	M/s.Konis Pharmaceuticals, Krishna Nagar - 522502 (A.P.)	The sample does not conforms to claim as per IP2022 in respect to the Test of Description and Particulate matter	Central Drugs Laboratory, Kolkata
22.	Paracetamol 500 mg. Tablets	PAR-31	01-08-2023	31-07-2026	ASKON HEALTH CARE,11-B,	The sample Does not Complies conforms to	RDTL, Guwahati

					INDUSTRIAL AREA, MAXI ROAD,UJJAIN-456010(M.P.)	I.P. with respect to the above tests only.	
23.	Ofloxacin Ornidazole Tablets IP	AD24059	01-04-2024	31-03-2026	Skymap Pharmaceuticals Pvt. Ltd.,(A WHO-GMP Certified Company)B-3,Dev Bhoomi Industrial Estate, Puhanalqbalpur Road, Roorkee-247667	Note: the sample received does not conform to i.p.2022 specification with respect to the test for dissolution for the content of ofloxacin and ornidazole (s1, s2 and s3 level) only. Cdtlh report no.: cdtlh/0131/f-	CDTL, Hyderabad
24.	Vildagliptinand Metformin Hydrochloride Tablets IP 50mg/1000mg	VMC04G 23A	01-10-2023	30-09-2025	Bajaj Healthcare Ltd.,R.S.No.1818, Manjusar – Savli Road, At & Post- Manjusar, Tal. Savli, Dist. Vadodara- 391775.	The sample does not conform to IP with respect to the test for Dissolution and Assay of Vildagliptin.	Central Drugs Laboratory, Kolkata
25.	Amoxicillin & Potassium Clavulanate Tablets I.P..	TCV- 2303003	01-03-2023	28-02-2025	Rivpra Formulation Pvt.Ltd.,Plot No.8, Sector-6A, I.I.E. SIDCUL, Haridwar- 249 403 (U.K.)	The sample does not conform to I.P. with respect to the test for Assay.	RDTL, Guwahati
26.	Clonazepam Tablets I.P.0.5mg	04L23T0 3	06-12-2023	04-11-2026	M/s. Shine Pharmaceuticals Limited,, PlotNo. 132, Karjan- Vermardi Road, Juni Jitherdi, Ta. Karjan-391240, Dist: Vadodara, (Gujarat).	The sample does not conform to claim as per IP in respect to The Test of Related Substances	Central Drugs Laboratory, Kolkata
27.	Metronidazole Extended Release	TC- 060323	03-03-2023	04-02-2025	Technica Lab & Pharma Pvt.Limited, Plot No.	The sample does not conform to U.S.P with	Central Drugs Laboratory, Kolkata

	Tablets USP 600 MG				100, Sector- 7, IIE, SIDCUL ,Haridwar, Uttarakhand	respect to the test of Dissolution.	
28.	Diclofenac Sodium and Paracetamol Tablets IP	RCT230 50	09-06-2023	04-02-2026	Galpha Laboratories Limited.,Village - Thana, Baddi, Himachal Pradesh- 173 205..	The sample does not conform to claim as per IP in respect to the Test of Description	Central Drugs Laboratory, Kolkata
29.	Atropine Sulphate Injection IP	23UG18	01-07-2023	30-062025	SVP LIFE SCIENCES,C/10-1 Sara Industrial Estate, Selaqui, Dehradun	The sample does not conform to claim as per IP2022in respect to the Test of pH and Assay of Atropine Sulphate	RDTL , Chandigarh
30.	Montelukast Sodium & Levocetirizine Hydrochloride Tablets	ATA-176	01-02-2023	31-01-2025	Alliaance Biotech,,440/3, Village Katha, Baddi, Distt.Solan (HP) - 173205	The sample does not conform to I.P. with respect to the above tests only.	RDTL, Guwahati
31.	Fluconazole Tablets IP (150 mg)..	UGT233 38	01-03-2023	28-02-2025	Unimark Healthcare Ltd., Plot No.: 24, 25 & 37 Sector 6 A, SIDCUL, Haridwar - 249403 (Uttarakhand)	The sample received does not conform to the I.P.2022 standard with respect to the test for Related substances.	CDTL, Mumbai
32.	Ceftriaxone Injection I.P	324-166	02-02-2024	07-07-2026	Zee Laboratories Limited,,Behind47, Industrial Area, Paonta Sahib- 173205.	The sample does not complies to claim as per IP 2022in respect of test for appearance of solution, clarity of solution, particulate matter and sterility (Powder for Injection).	Central Drugs Laboratory, Kolkata
33.	Ramipril & Hydrochlorthiazide Tablets IP	PT- 31954	01-07-2023	01-06-2025	PharmarootsHealthcare, Khasra No. 411, Village Tipra, P.O. Barotiwala, Tehsil Baddi,Distt.Solan, H.P.	The sample received does not conform to the I.P.2022standardwith respect to the test for assay of Ramipril.	CDTL,Mumbai

						Note:-Other test could not be done due to technical reason	
34.	GLIPIZIDE AND METFORMIN TABLETS IP	4010026	08-11-2023	03-04-2025	USV Private Limited, At : B- 249/B-250, IInd Stage, Peenya Industrial Estate, Bangalore-560 058	The sample does not conform to claim I.P. with respect to the test for Dissolution of Glipizide	CDL, Kolkata
35.	Ceftriaxone for Injection I.P. 1gm	DC30119	05-10-2023	09-09-2025	Captab Biotech, Unit- II, Plot No.125, E.P.I.P. Road, Mauja, Jharmajri, Baddi, Distt. Solan, H.P.	The sample does not conform to I.P. with respect to test for "Particulate Matter"	CDL, Kolkata
36.	Gentamicin Sulphate Injection I.P. 2ml	323-216	03-03-2023	05-02-2025	ZEE LABORATORIES LTD., Behind 47, Indl. Area, Paonta Sahib-173025	The sample does not conform to I.P. with respect to the test for "Particulate matter" and is also not of standard quality for the reason stated under "Description"	CDL, Kolkata
37.	Calcium 500 mg with Vitamin D3 250 IU Tablets IP	LMT240263	01-03-2023	28-02-2026	Life Max Cancer Laboratories, Plot No. 106 & 106 A, Sector-6A, IIE, SIDCUL, Haridwar- 249403 (U.K)	The sample Does not Complies conforms to I.P. with respect to the above tests only.	RDTL, Guwahati
38.	Cefixime & Ofloxacin Tablets	DB230057	02-02-2023	01-01-2025	Daxin Pharmaceuticals Pvt.Ltd., Plot No 121-122 EPIP, Jharmajri Phase1, Teh. Baddi, Distt. Solan (H.P.) -174103	The sample does not conform to claim as per Schedule V of Drugs & Cosmetics Act with respect to the Assay of Cefixime Trihydrate eq. to anhydrous Cefixime and Assay of Ofloxacin	CDL, Kolkata
39.	Ceftriaxone Injection IP	C2402-02F	02-02-2024	05-01-2026	Integrated Laboratories Pvt. Ltd., Nahan	The sample does not conform to IP with respect	Central Drugs Laboratory, Kolkata

					Road. Vill. Moginand, Kala Amb, Distt. Sirmour (H.P.)- 173030	to the Particulate matter, Clarity of Solution and for the reason stated under Description	
--	--	--	--	--	--	---	--