

Drug Alert May 2026 CDSCO

S. No	Name of Product	Batch No	Manufacturing Date	Expiry Date	Manufactured By	NSQ Result	Reporting Source	Reporting by Lab/State	Reporting Month & Year
1	Iron Sucrose Injection USP	MFS-124	Nov-2025	Oct-2027	Marc Laboratories Ltd. Unit-III, Plot No. 107 & 112, H.P.S.I.D.C., Baddi, Distt. Solan (H.P.)	The sample does not conform to U.S.P with respect to test for pH and Alkalinity	CDSCO Labs	CDL, Kolkata	MAY-2026
2	Swabs Sterile	14	May-2025	Apr-2028	Pearsons Healthcare Products, 5-A, Muraripuram, Meerut City-250 002, (U.P.)	The sample does not conform to B.P.C. with respect to thread per stated length, weight per unit area, surface active substance and sulphated ash	CDSCO Labs	CDL, Kolkata	MAY-2026

3	Amoxicillin and Potassium Clavulanate Tablets IP	825D167	Jun-2025	Nov-2026	Medreich Limited, Survey No. 14 & 15, Vision Gundarahalli Village, Sulibele Hobli, Hoskote Taluk, Bangaluru Rural District - 562 114	The sample does not conform to IP with respect to the test for 'Identification' and 'Assay' of 'Amoxicillin' and 'Clavulanic Acid'	CDSCO Labs	CDL, Kolkata	MAY-2026
4	Cotton Bandage (Non Sterile)	943	May-2025	Apr-2027	Sapna Bunkar Hath Kargha Sahkari Samiti Ltd.B-12(D), Malviya Industrial Area, Jaipur	The sample does not conform to claim as per Schedule F-(II) with respect to test for Threads per dm, Weight In Gm/sq.m, Length and Fluorescence	CDSCO Labs	CDL, Kolkata	MAY-2026
5	Amoxicillin and Potassium Clavulanate & Lactic Acid Bacillus Tablets	JMT-2511010	Nov-2025	Apr-2027	JMM Formulation Pvt. Ltd., Village Khari, Mouza-	The sample does not conform to claim with	CDSCO Labs	CDL, Kolkata	MAY-2026

					Ogli, Suketi Road, Kala amb Tehsil: Nahan, Distt. Sirmour, H.P. 173030, India	respect to Assay of Lactic Acid Bacillus			
6	Rabeprazole Sodium Injection IP	MD25C 11	Mar-2025	Feb-2027	Martin And Brown Bio-Sciences Pvt.Ltd.,K.No. 918/419, Malkumajra, Nalagarh Road, Baddi, Distt. Solan (H.P) 173205	The sample does not conform to I.P with respect to the tests of Particulate matter, Clarity of Solution, Uniformity of weight and for the reason stated under Description	CDSCO Labs	CDL, Kolkata	MAY-2026
7	Rosuvastatin Tablets IP 20 mg	RVST-1040	Nov-2025	Oct-2027	Wings Biotech LLP,43 and 44, HPSIDC, Industrial Area, Baddi-173205 (H.P)	The sample does not conform to I.P with respect to the test for Related substances	CDSCO Labs	CDL, Kolkata	MAY-2026

8	Dextromethorphan Hydrobromide, Ambroxol Hydrochloride, Chlorpheniramine Maleate, Phenylephrine Hydrochloride & Menthol Syrup	CLRA4004	Dec-2024	Nov-2026	Crest Lifesciences Pvt. Ltd., Plot No. 127-128, EPIP Phase-I, Jharmajri, Tehsil Baddi, Distt. Solan (Himachal Pradesh) 174103	The sample does not conform to claim with respect to Assay of Phenylephrine Hydrochloride, Ambroxol Hydrochloride and Menthol	CDSCO Labs	CDL, Kolkata	MAY-2026
9	Aceclofenac (SR) & Rabepazole Sodium (EC) Capsules	YC337A	Jul-2025	Jun-2027	Saphnix Life Sciences, Village -Barotiwala, Paonta Sahib, Distt. Sirmour, Himachal Pradesh-173025	The sample does not conform to Manufacturer's Specification with respect to the test of Dissolution of Rabepazole Sodium in buffer stage	CDSCO Labs	CDL, Kolkata	MAY-2026
10	Roller Bandage cloth (Non sterile)	RBC-10/16	Aug-2024	Aug-2027	Lifecare Surgicals, Plot No 169,	The sample does not conform to	CDSCO Labs	CDL, Kolkata	MAY-2026

					Industrial Park, Nuzvid-521201, Krishna District, Andhra Pradesh	the Schedule F(II) with respect to threads per dm (weft), length and foreign matter			
11	Pregabalin & Nortriptyline Tablets	ST2541 7C	Nov-2025	Oct- 2027	Sahika Pharmaceuticals Pvt. Ltd.,Unit- Mauja Rampur Jattan, Trilokpur Road, Kala Amb Industrial Area, Sirmour, (H.P.) 173030.	The sample does not conform to Manufacturer' s Specification with respect to Assay of Pregabalin	CDSCO Labs	CDL, Kolkata	MAY- 2026
12	Ferric Carboxymaltose Injection 50 mg/ml	RC2500 1	Sep-2025	Aug- 2027	Maan Pharmaceuticals Ltd,Plot-1, G.I.D.C., Phase- II, Modhera Road, Mehsana- 384002, Gujarat India	The sample does not conform to Manufacturer' s specification with respect to test for Bacterial endotoxins	CDSCO Labs	CDL, Kolkata	MAY- 2026

13	Triamcinolone Acetonide Injection IP	NB021065b	Feb-2025	Jan-2027	NDB Healthcare, Vill. Lower Ambota, Sec-5, Parwanoo, Distt. Solan (H.P.)-173220	The sample does not conform to IP with respect to test for Sterility	CDSCO Labs	CDL, Kolkata	MAY-2026
14	Heparin Sodium Injection IP 5000 IU/ml	HSV22406	Nov-2024	Oct-2026	Nandani Medical Laboratories Pvt. Ltd.,221/5, Bicholi Hapsi, Kanadia Road, Indore-452016 M.P	The sample does not conform to I.P. with respect to the Assay of Heparin (Anti-factor IIa activity)	CDSCO Labs	CDL, Kolkata	MAY-2026
15	Cefixime Dispersible Tablets IP	TC2439	Oct-2024	Mar-2027	Blue Cross Laboratories Pvt. Ltd.,A-12, MIDC, Nashik - 422010,Maharashtra	The sample does not conform to IP with respect to the tests for Uniformity of dispersion, Dissolution and Assay of Cefixime Trihydrate Eq. to	CDSCO Labs	CDL, Kolkata	MAY-2026

						Anhydrous Cefixime'			
16	Absorbent Cotton Wool IP	COT100-08-2K25-11	Nov-2025	Oct-2028	Selemp Pharma Enterprises,21-22, 23-4B/273 To 277, 4th Floor, Vasavi Pharma Market Complex, Gollapudi, Vijayawada 521225, Andhra Pradesh	The sample does not conform to I.P. with respect to fluorescence and water soluble substances	CDSCO Labs	CDL, Kolkata	MAY-2026
17	Teneligliptin & Metformin Hydrochloride Extended Release tablets IP	T-2503098	Mar-2025	Feb-2027	Rivpra Formulation Pvt. Ltd.,Plot No.8, Sector-6A, I.I.E. SIDCUL, Haridwar-249 403 (U.K.)	The sample does not conform to I.P. with respect to the Dissolution and Assay of Teneligliptin	CDSCO Labs	CDL, Kolkata	MAY-2026
18	Propylene Glycol IP	PG-IP/2024-25/2158	Jul-2024	Jun-2029	Manali Petrochemicals Ltd,Plant II, Sathangadu Village, Manali, Chennai 600068	The sample does not conform to I.P. with respect to the test for "Water"	CDSCO Labs	CDL, Kolkata	MAY-2026

19	Ambroxol, Terbutaline Guaiphenesin with Menthol Syrup	AL24- 0611A	Dec-2024	Nov- 2026	ASPO PHARMACEU TICALS LLP,Plot No 10, HIMUDA Industrial Area, Phase IV, Bhatoli Kalan, Baddi, Disttt. Solan (HP)- 173205	The sample does not conform to Manufacturer' s Specification with respect to Assay of Ambroxol Hydrochlorid e, Guaiphenesin , and Terbutaline Sulphate	CDSCO Labs	CDL, Kolkata	MAY- 2026
20	Iron Sucrose Injection USP	MFS- 122	Nov-2025	Oct- 2027	Marc Laboratories Ltd. Unit- III,Plot No. 107 & 112, H.P.S.I.D.C., Baddi, Distt. Solan (H.P.)	The sample does not conform to U.S.P with respect to test for 'pH' and 'Alkalinity'	CDSCO Labs	CDL, Kolkata	MAY- 2026
21	Ceftriaxone Injection I.P.	1825152 8A	Apr-2025	Mar- 2027	Macleods Pharmaceuticals Ltd,Khasra No. 21 ,22,66,67 & 68, Aho- Yangtam,	The sample does not conform to I.P with respect to the tests of	CDSCO Labs	CDL, Kolkata	MAY- 2026

					Namchepung, PO: Ranipool, Sikkim - 737135.	Appearance of solution, Clarity of Solution and Particulate Matter			
22	Ampicillin & Cloxacillin Capsules, Mediclox- Plus (as per Front Side of The sample strips), Betamox Plus (as per back side of The sample strips) and Amoxycillin, Cloxacillin & Lactic Acid Bacillus Capsules (As per Form 18)	PBEAL 001	Feb-2025	Jan- 2027	Laborate Pharmaceuticals India Ltd.,(Unit II) 31, Rajban Road, Nariwala, Paonta Sahib (H.P.)	The sample does not conform to claim with respect to Identification and Assay of Ampicillin. The sample is found to contain 246.8 mg Amoxycillin per capsule however, there is no label claim for Amoxycillin in The sample. The sample is deemed to be misbranded	CDSCO Labs	CDL, Kolkata	MAY- 2026

						drug vide Section 17 of Drugs and Cosmetics Act 1940 and Rule thereunder.			
23	Dextromethorphan Hydrobromide Chlorpheniramine Maleate Bromohexine Hydrobromide Syrup	AR651	Jan-2026	Dec-2027	Biva Biotech,R.O- Uma Complex, R. K. Nagar-20 A.0-Kanaulus Taluka Lalpur, Dist-Jamnagar, GUJRAT-361280	The sample does not conform to claim as per Schedule V, Drugs & Cosmetics Rules 1945 with respect to Assay of Dextromethorphan Hydrobromide, and Chlorpheniramine Maleate.	CDSCO Labs	CDL, Kolkata	MAY-2026
24	Heparin Sodium Injection IP 5000 IU/ml	BSV22501	Feb-2025	Jan-2027	Nandani Medical Laboratories Pvt. Ltd.,221/5, Bicholi Hapsi,	The sample does not conform to I.P. with respect to	CDSCO Labs	CDL, Kolkata	MAY-2026

					Kanadia Road, Indore-452016	Assay of Heparin (Anti-factor IIa activity)			
25	Ofloxacin & Metronidazole Suspension	CF610	Nov-2025	Oct- 2027	Biva Healthcare,R.O. R.K. Nagar-20 A.O.: Kanaulus Taluka, Lalpur, Dist Jamnagar, Gujarat-361280	The sample does not conform to claim with respect to the test of Identification and Assay of Metronidazol e and Ofloxacin	CDSCO Labs	CDL, Kolkata	MAY- 2026
26	Vidagliptin Tablets IP 50 MG.	TVA407	Apr-2024	Mar- 2027	Synmedic Laboratories,SP -3-5 A And C, RIICO Industrial Area Keshwana, Kotputli, Jaipur, Rajasthan- 303108.	The sample does not conform to I.P. with respect to the Dissolution and Assay of Vildagliptin.	CDSCO Labs	CDL, Kolkata	MAY- 2026
27	Calcium Carbonate, Vitamin D3, Methylcobalamin, L Methylfolate Calcium	ST25- 2587	Aug-2025	Jul- 2027	Salud Care (India) Ltd.,Plot No. 435, Kishanpur,	The sample does not conform to Manufacturer	CDSCO Labs	CDL, Kolkata	MAY- 2026

	And Pyridoxal 5-Phosphate				Jamalpur, Roorkee, Distt. Haridwar, Uttarakhand (India).	Specification with respect to 'Assay of 'L-Methylfolate Calcium equiv. to L-Methylfolate'.			
28	Itraconazole Capsules BP 65 mg.	HC-2507123	Jul-2025	Jun-2027	Helax Health Care Private Limited,(A WHO-GMP & GLP Certified Company) Khasra No. 410, Village Karondi Distt Haridwar	The sample does not conform to claim as per B.P. with respect to the test for "Assay" and "Dissolution" of Itraconazole	CDSCO Labs	RDTL, Guwahati	MAY-2026
29	Albendazole Tablets I.P. 400 mg	AT25/120	May-2025	Apr-2027	Accuwell Medics Private Limited, Survey No. 414, Ashwamegh Ind. Estate, Changodar Ahmedabad-382213 (Guj) India	The sample does not comply as per I.P. 2022 with respect to the test for "Dissolution" of Albendazole.	CDSCO Labs	RDTL, Guwahati	MAY-2026

30	Co-trimoxazole Tablets IP 960 mg	OMT25 087	Jun-2025	May- 2027	Omish Laboratories Pvt. Ltd.,Plot No.: D-10, Gallops Industrial Park- 1, Ahmedabad- Rajkot Highway, NH- 8A, Rajoda, Bavla, Ahmedabad- 382220 (Gujarat)	The sample does not comply as per I.P. 2022 with respect to the test for "Dissolution" of Sulphametho xazole.	CDSCO Labs	RDTL, Guwahati	MAY- 2026
31	INFUSION SET	IV2512 068	Dec-2025	Nov- 2030	Primesurge International,FF -Vimal Estate, Swastik Cross Road, Amraiwadi, Ahmedabad- 380026.	The sample does not comply as per I.P. 2022 with respect to the test for Sterility.	CDSCO Labs	RDTL, Guwahati	MAY- 2026
32	Cholecalciferol Chewable Tablets 60,000 IU	T-5224	Jan-2026	Dec- 2027	Pharma Synth Formulations Ltd.,Plot No. 18-22, Sector- 6B, SIDCUL- IIE, Haridwar, UK.	The sample does not conform to claim as per Patent and Proprietary in respect to the	CDSCO Labs	RDTL, Chandiga rh	MAY- 2026

						Assay of Cholecalciferol.			
33	Ondansetron Tablets IP	ONST-1006	Jul-2026	Jun-2027	Wings Biotech LLP,43 and 44, HPSIDC, Industrial Area, Baddi-173205 (H.P)	The sample does not conform to claim as per IP 2022 and Addendum 2024 in respect to the test of Dissolution.	CDSCO Labs	RDTL, Chandigarh	MAY-2026
34	Pregabalin capsules IP 300 mg	SC2602602	Feb-2026	Jan-2028	Scout Lifescience Pvt Ltd,Plot No.353, Sector-2, Industrial Growth Centre, HSIIDC, Saha, Ambala, Haryana, India-133104	The sample received does not conform to the I.P. 2022 standard with respect to the test for Dissolution and Description	CDSCO Labs	CDTL, Mumbai	MAY-2026
35	Amlodipine Tablets IP 5mg	GAB36	Nov-2025	Oct-2027	Super Formulations Pvt Ltd,16-B & 15-F, Industrial Area, Maxi	The sample received does not conform to I.P. 2022 with respect	CDSCO Labs	CDTL, Mumbai	MAY-2026

					Road, Ujjain (M.P) 456010	to the test for Related substances other test could not be done due to technical reason.			
36	Aspirin Gastro- resistant and Atorvastatin Capsules IP (75mg/10mg)	AAC50 53	Jul-2025	Jun- 2027	Vivimed Labs Limited.,D-125 & 128, Phase III, I.D.A., Jeedimetla, Medchal- Malkajgiri Dist Telangana State- 500 055	The sample does not conforms to I.P.2022 with respect to the Test for Related substances for Aspirin and Atorvastatin.	CDSCO Labs	CDTL, Mumbai	MAY- 2026
37	Lactulose Solution U.S.P.	HL154	Dec-2025	Nov- 2027	Azine Healthcare Pvt. Ltd.,Plot No. 401, GIDC Kerala, Bavla- 382220, Dist. Ahmedabad, Gujarat	The sample does not conforms to IP addendum- 2024 with respect to the tests for Related Substances.	CDSCO Labs	CDTL, Mumbai	MAY- 2026

38	Amlodipine Besylate Tablets IP	AML-2506	Dec-2025	Nov-2027	Apple Formulations Pvt. Ltd. Plot No.208, Kishanpur, Roorkee-247667(U.K.)	The sample received does not conform to I.P. 2022 with respect to the test for Related substances. other test could not be done due to technical reason.	CDSCO Labs	CDTL, Mumbai	MAY-2026
39	Levocetirizine Dihydrochloride Syrup	1C0149	Mar-2026	Feb-2028	Deep Pharma, Unit-2, Survey No.293/3, Behind Jalaram Mandir, Kalikund-Kheda Road, Dholka-382225, Dist. Ahmedabad	The sample does not conform to Manufacturer's specification with respect to the test of Microbial contamination (Total aerobic viable count).	CDSCO Labs	CDTL, Mumbai	MAY-2026
40	Phytomenadione Injection BP	57P25001	Jan-2025	Dec-2026	Radiant Parenterals Ltd., 242/5 & 6,	The sample does not conform to	CDSCO Labs	CDTL, Mumbai	MAY-2026

					G.I.D.C. Estate at & Post Waghodia, Dist-Vadodara, Gujarat- 391760	I.P. 2022 with respect to the test for pH.			
41	Ofloxacin and Ornidazole Tablets	WT-957	Feb-2025	Jan-2028	Wilcure Remedies Pvt. Ltd.PH No. 10, Gram Mirzapur, Khandwa Road, Dist. Indore 452020 (MP), India.	The sample received does not conforms to I.P. 2022 with respect to the test for Related substances	CDSCO Labs	CDTL, Mumbai	MAY-2026
42	Thyroxine Sodium Tablets IP 50mcg	1030	Apr-2025	Mar-2027	Healthy Life Pharma Pvt. Ltd.,Factory: N-31/1, M.I.D.C., Tarapur, Boisar - 401 506, Dist. Palghar.	The sample does not conform to I.P with respect to the " Assay, Dissolution and Uniformity of content of Thyroxine Sodium equivalent to anhydrous Thyroxine Sodium.	CDSCO Labs	CDTL, Indore	MAY-2026

43	Absorbent Cotton Wool I.P.	C-111	Apr-2025	Mar-2027	Vinayak Manutrade (P) Ltd.,Plot No. 87B, RICCO Industrial Area, Jhotwara Jaipur (Raj.) 302012	The sample does not conform to IP with respect to test for 'Water soluble substances	CDSCO Labs	CDL, Kolkata	MAY-2026
44	Roller Bandage cloth (Non sterile)	MD/MR BC 051	Mar-2025	Mar-2027	Medicure Enterprises,Plot No. 96, APIIC Industria Estate OPP. MRO Office, Singarayakonda (M), Prakasam(DT), Andhra Pradesh	The sample does not conform to the Schedule F(II) with respect to threads per dm (warp), weight in gm/sq.m and length	CDSCO Labs	CDL, Kolkata	MAY-2026
45	Gauze Bandage	2	Nov-2025	Nov-2028	VS Healthcare,B-43, 2nd Floor, Okhla Industrial Area, Phase-1, New Delhi-110020	The sample does not conform to with respect to description, mass in gm/sq.m, absorbency, scouring loss	CDSCO Labs	CDL, Kolkata	MAY-2026

						and freedom from optical whitener.			
46	Absorbent Cotton Wool I.P.	C-115	May-2025	Apr-2027	Vinayak Manutrade (P) Ltd.,Plot No. 87B, RICCO Industrial Area, Jhotwara Jaipur (Raj.) 302012	The sample does not conform to IP with respect to test for Water soluble substances and Sulphated ash	CDSCO Labs	CDL, Kolkata	MAY-2026