

Drug Alert August 2026 CDSCO

S.No	Name of Product	Batch No	Manufacturing Date	Expiry Date	Manufactured By	NSQ Result	Reporting Source	Reporting by Lab/State	Reporting Month & Year
1	Sodium Chloride And Dextrose Injection I.P. (0.9% w/v & 5% w/v)	P260553007	May-2026	Apr-2029	Vision Parenteral Pvt. Ltd.,A-2-44,45 Sector- 15, GIDA Industrial Area Gorakhpur-273209 (U.P.) India.	The sample does not conform to IP with respect to Extractable Volume.	CDSCO Labs	CDL, Kolkata	AUG-2026
2	Rolled Bandage	AE-RB6-10-2K25-03	Mar-2025	Feb-2028	Arunachala Enterprises ,D.no. 23-4B/278 To 285, Vasavi Pharma Market Complex 4th Floor, Opp Ayyappa Swamy Temple, Gollapudi, Vijayawada 521225, AP	The sample does not conform to Schedule F(II) with respect to length.	CDSCO Labs	CDL, Kolkata	AUG-2026
3	Absorbent Cotton Wool IP	433	Nov-2023	Oct-2026	Siva Sivani Surgical Cottons(P) Ltd. ,Fac: S.No. 11/3, Kovvur Road, Kakinada	The sample does not conform to I.P. with respect to Surface active substances and water	CDSCO Labs	CDL, Kolkata	AUG-2026

Drug Alert August 2026 CDSCO

						soluble substances.			
4	Choline Theophyllinate 50mg & Terbutaline Sulphate 1.25 mg Syrup	KPD-2502	Oct-2025	Sep-2027	Aries Drugs Pvt. Ltd. ,Plot No.90, Sector-IIDC, IIE, SIDCUL, Pantnagar, Distt- U.S. Nagar, Uttarakhand-263153	The sample does not conform to Manufacturer 's specification with respect to Assay of Terbutaline Sulphate.	CDSCO Labs	CDL, Kolkata	AUG-2026
5	Bupivacaine Hydrochloride In Dextrose Injection USP	BKBP02601	May-2026	Apr-2028	Themis Medicare Ltd. ,11/12, Udyog Nagar, S. V. Road, Goregaon West, Mumbai PIN 400104. At: Gat No: 218, Near Katwad Fata, Village: Telegaon , Tal: Dindori, Nashik-422004	The sample does not conform to USP with respect to the test for pH and Bacterial Endotoxin.	CDSCO Labs	CDL, Kolkata	AUG-2026
6	Calcitriol, Calcium Carbonate, Zinc, Magnesium,	CD-252145B	Oct-2025	Sep-2027	Capsoft Healthcare Pvt. Ltd. ,Shed No.6, Khasra No.760-761, Khalsa Complex, Village	The sample does not conform to claim with respect to the	CDSCO Labs	CDL, Kolkata	AUG-2026

Drug Alert August 2026 CDSCO

	Vitamin K2-7, Methylcobala min & L- Methyl Folate Soft Gelatin Capsules				Karuana, Sai Road, Baddi, Solan- 173205 (H.P)	Assay of Elemental Zinc, Methylcobala min and L- Methylfolate.			
7	Dexamethason e Sodium Phosphate Injection IP	CHI-60004	Jan-2026	Dec- 2027	Cotec Healthcare Ltd. Kh. No. 593/1, Roorkee- Dehradun Highway, Kishanpur, Roorkee- 247667(Uttarakhan d) India.	The sample does not conform to IP with respect to the tests for'Particulate matter and Assay of Dexamethaso ne Sodium Phosphate eq. to Dexamethaso ne Phosphate and is also not of standard quality for the reason stated under Description.	CDSCO Labs	CDL, Kolkata	AUG-2026
8	Azithromycin & Lactic Acid	GT30389J	Dec-2025	Nov- 2027	J.M.Laboratories.,Vi llage-Bhanat, PO -	The sample does not	CDSCO Labs	CDL, Kolkata	AUG-2026

Drug Alert August 2026 CDSCO

	Bacillus Tablets				Ghatti, Subathu Road, Solan (HP) 173211	conform to claim as per Schedule V of Drug and Cosmetics Act and Rules 1945 with respect to Assay of Lactic Acid Bacillus.			
9	Aceclofenac 100mg, Serratiopeptidase 15mg & Paracetamol 325mg Tablets	FND072500 1BH	Jan-2025	Jun-2027	Ipca Laboratories Ltd. ,393/394, Melli Jorethang Road, Gom Block, Bhari khola, South District, Sikkim 737 121	The sample does not conform to claim with respect to Identification and Assay/content of Aceclofenac, Paracetamol and Serratiopeptidase activity.	CDSCO Labs	CDL, Kolkata	AUG-2026
10	Itraconazole Capsules IP 200 mg	02T65	Dec-2025	Nov-2027	Kivi Labs Ltd. ,147-148, GIDC, Por-Ramangamdi, Dist.	The sample does not conform to I.P. with	CDSCO Labs	CDL, Kolkata	AUG-2026

Drug Alert August 2026 CDSCO

					Baroda-391243, Gujarat.	respect to the Dissolution test.			
11	Rabeprazole Sodium Injection IP	MD25A16	Jan-2025	Dec- 2026	Martin & Brown Bio-Sciences Pvt. Ltd. ,K.No 918/419, Malkumajra, Nalagarh Road, Baddi, Distt. Solan (H.P.) 173205	The sample does not conform to I.P. with respect the tests of Description, Clarity of solution, Particulate matter, pH, Related substances and Assay of Rabeprazole Sodium.	CDSCO Labs	CDL, Kolkata	AUG-2026
12	Bupivacaine Hydrochloride in Dextrose Injection USP 4ml	BD25G2	Aug-2025	Jul- 2027	Arco Lifesciences (I) Pvt. Ltd. ,C-86, M.I.D.C., Hingna, Nagpur-16	The sample does not conform to U.S.P. with respect to Assay of Dextrose Anhydrous	CDSCO Labs	CDL, Kolkata	AUG-2026

Drug Alert August 2026 CDSCO

13	Amikacin Sulphate Injection IP	UGL-24375A	Oct-2024	Sep-2026	Ultra Drugs Pvt. Ltd. ,Plot No. 1315-1318, VPO Manpura, Baddi-Nalagarh Road, Distt. Solan (H.P.) 174101.	The sample does not conform to I.P. with respect to test for ' Particulate Matter' and is also not of standard quality for the reason stated under Description	CDSCO Labs	CDL, Kolkata	AUG-2026
14	Itraconazole Capsules IP	AC-662H	Nov-2025	Oct-2027	Azot Life Sciences,Vill. Chewa, P.O. Kumarhatti, Distt. Solan-173229 (H.P.)	The sample does not conform to I.P. with respect to test for Dissolution.	CDSCO Labs	CDL, Kolkata	AUG-2026
15	Haloperidol Injection I.P.	HP404	May-2024	Apr-2027	Tamman Titoe Pharma Pvt. Ltd. ,56-57, SIDCO Pharmaceuticals Complex, Alathur 603110, Tamilnadu	The sample does not comply as per I.P. 2022 with respect to the test for Sterility.	CDSCO Labs	RDTL, Guwahati	AUG-2026

Drug Alert August 2026 CDSCO

16	Compound Sodium Lactate Injection I.P.	03BF2457	Mar-2024	Feb-2027	Paschim Banga Pharmaceutical (A Unit Of Farista Vanijya Pvt. Ltd.),NH-31, Tin Mile Hat, Sonapur Hat, P.S.-Chopra, Dist Uttar Dinajpur, Pin 733 214 (W.B.)	The sample does not comply as per I.P. 2022 with respect to the test for Sterility and Particulate Contamination.	CDSCO Labs	RDTL, Guwahati	AUG-2026
17	Cefpodoxime Proxetil Dispersible Tablets	CT25005B	Jan-2025	Dec-2026	Alps Communication Pvt. Ltd.,Village - Johron, Trilokpur Road, Kala Amb, Distt. Sirmour - 173 030, (H.P.) INDIA.	The sample is not of standard quality for the reason stated under Description of the tablets.	CDSCO Labs	RDTL, Guwahati	AUG-2026
18	Prednisolone Tablets IP	PRD2516	Dec-2025	Nov-2027	Concord Drugs Ltd. ,Survey No.: 249,Brahmanapally , R.R. Dist., Telangana-501511	The sample is not of standard quality for the reason stated under Description of the tablets.	CDSCO Labs	RDTL, Guwahati	AUG-2026
19	Levocetirizine Hydrochloride	41046	Nov-2025	Oct-2027	Ronak Life Care Pvt. Ltd. ,R.S. No.	The sample does not	CDSCO Labs	RDTL, Guwahati	AUG-2026

Drug Alert August 2026 CDSCO

	and Montelukast Tablets				41 (Part), At & Post Rajpur, Dist Patan-384265	comply as per I.P. 2022 with respect to the test for Dissolution of Montelukast.			
20	Dextromethorphan Hydrobromide Phenylephrine Hydrochloride and Chlorpheniramine Maleate Syrup,	JLJ2523	Oct-2025	Sep-2027	Janveda Healthceutical Pvt. Ltd. ,26, Gopi Estate Changodar, Ahmedabad-382213 (Gujrat)	The sample does not conform to claim as per Patent and Proprietary in respect to the Assay of Phenylephrine Hydrochloride	CDSCO Labs	RDTL, Chandigarh	AUG-2026
21	Amoxicillin And Potassium Clavulanate Tablets IP	GBR1240	Jun-2026	May-2028	Brooks Laboratories Ltd., At : Vill. Kishanpura, Nalagarh Road, Baddi, (H.P.) - 174 101.	The sample does not conform to claim as per IP 2022 in respect to the Test of Dissolution of Amoxycillin.	CDSCO Labs	RDTL, Chandigarh	AUG-2026

Drug Alert August 2026 CDSCO

22	Rabeprazole Sodium Tablets IP 20 mg	N2600742	Mar-2026	Feb-2028	Intas Pharmaceuticals Ltd., Samardung Road, Kabrey Block, Namthang Elaka, South Sikkim-737132, INDIA.	The sample does not conform to claim as per IP 2022 and Addendum 2024 in respect to the Test of Dissolution (Buffer Stage).	CDSCO Labs	RDTL, Chandigarh	AUG-2026
23	Rabeprazole Sodium Gastro Resistant and Domperidone Prolonged Release Capsules	2604209	Apr-2026	Mar-2028	Sai Sarvaa Biotech Pvt. Ltd., Plot No. 8 & 9, Balaji Nagar, Pattanur, Auroville (Po), Vanur (TK), Villupuram (Dt.) Pin - 605 101.	The sample does not conform to claim as per Patent and Proprietary in respect to the Test of Dissolution of Domperidone (12th hours), Dissolution of Rabeprazole Sodium (buffer stage).	CDSCO Labs	RDTL, Chandigarh	AUG-2026

Drug Alert August 2026 CDSCO

24	Sodium Bicarbonate Tablets USP 1000 mg	T-2502219	Feb-2025	Jan-2027	Rivpra Formulation Pvt. Ltd, Plot No. 8, Sector-6A, I.I.E., SIDCUL, Haridwar-249 403 (Uttarakhand), INDIA	The sample does not conform to claim as per USP 2025 in respect to the Test of Description.	CDSCO Labs	RDTL, Chandigarh	AUG-2026
25	Clopidogrel Tablets IP	BCGT25016	May-2025	Apr-2027	Bactolac Formulation Pvt. Ltd., Plot No. 70 (part) , TSIIC-IALA, Phase-I, Cherlapally Village, Kapra Mandal, Medchal-Malkajgiri District, Telangana-500051, INDIA	The sample does not conform to claim as per IP 2022 in respect to the Test of Dissolution	CDSCO Labs	RDTL, Chandigarh	AUG-2026
26	Salicylic Acid & Benzoic Acid Antiseptic Powder 150mg	4226D025	Apr-2026	Sep-2028	Khushboo Beauty Care, Survey No. 69/4/2, Village Athal, Silvassa-396230, Dadra And Nagar Haveli	The sample received does not conform to Manufacturer's specification with respect to the test for Microbial limit test,	CDSCO Labs	CDTL, Mumbai	AUG-2026

Drug Alert August 2026 CDSCO

						Total aerobic microbial count, Total combined yeasts and moulds count.			
27	Glycopyrrolate Injection IP 0.2 mg/ml	I-7981	Dec-2025	Nov-2027	Jackson Laboratories Pvt.Ltd. ,22-24, Majitha Road, Bye Pass, Amritsar-143 001(India)	The sample received does not conform to IP 2022 specification with respect to the test for sterility only	CDSCO Labs	CDTL, Hyderabad	AUG-2026
28	Losartan Potassium USP	LOP0110526 II	May-2026	Apr-2031	Synergene Active Ingredients Pvt. Ltd., Unit-II,,Plot No.59D, JNPC, Parawada (V), Parawada (M), Anakapalli-531021, A. P. India.	The sample does not conform to USP with respect to the test of Water Determination.	CDSCO Labs	CDTL, Indore	AUG-2026
29	Vildagliptin Tablets I.P. 50 mg	VFGT1214	Mar-2025	Feb-2027	Unicare India Ltd. ,C-21, 22 & 23, Sector-3, Noida-201301, Distt.	The sample does not conform to I.P with respect to the	CDSCO Labs	CDTL, Indore	AUG-2026

Drug Alert August 2026 CDSCO

					Gautam Budh Nagar (U.P)	test for Assay of Vildagliptin			
--	--	--	--	--	----------------------------	--------------------------------------	--	--	--